

C.S.P.S. First Aid Course
Test 4

1. The first priority is
 - A. a clear airway and breathing;
 - B. functioning circulatory system;
 - C. danger of further injury;
 - D. control of bleeding.

2. The higher or first level of priority assessment is
 - A. control of bleeding;
 - B. level of consciousness;
 - C. danger of further injury;
 - D. a clear airway and breathing.

3. What is the correct order for assessment of an injured person?
 - A. Priority assessment, critical interventions, transport decision making and communication of severity of injury, and secondary examination;
 - B. Transport decision making and communication of severity of injury, priority assessment, critical interventions, and secondary examination
 - C. Priority assessment, transport decision making and communication of severity of injury, critical interventions, and secondary examination
 - D. Secondary examination, transport decision making and communication of severity of injury, critical interventions, and priority assessment.

4. When evaluating the scene during the Priority Assessment, you should be looking for
 - A. Danger of further injury;
 - B. Number of injured people;
 - C. Visible severe bleeding;
 - D. All of the above.

5. When you identify yourself and offer assistance to an injured person who then answers "yes", this indicates the person
 - A. does not have a head injury;
 - B. is breathing, and is oriented to person, place and time;
 - C. has an open airway, and is breathing;
 - D. is not injured.

C.S.P.S. First Aid Course
Test 4

6. What property should be checked for when evaluating circulation
- A. pulse rate;
 - B. pulse strength;
 - C. pulse rhythm;
 - D. all of the above.
7. If you are uncertain about possible C-Spine injury, you should
- A. ignore it;
 - B. manually stabilize the head and neck;
 - C. stop the assessment;
 - D. immediately call for help.
8. A possible cause of patterned breathing is
- A. Respiratory Arrest;
 - B. Chest Injury;
 - C. Shock;
 - D. Head Injury.
9. A "Load and Go" approach is justified by which of the following lists of conditions (all must be correct) :
- A. Airway Control, Broken Tibia, Diabetes
 - B. Cardiac Chest Pain, Unstable Pelvis, Rigid Abdomen
 - C. Common Cold, Sore Pinky, Late for Dinner
 - D. Hypothermia, Minor Bleeding, Dislocated Shoulder
10. When performing a priority assessment, priority injuries should be taken care of:
- A. After the secondary is complete
 - B. In the order that they are found
 - C. Before lunch
 - D. using a backboard